Kate LeBlanc, Matthew Zheng, Sawye Raygani, Noah Magbual, Dr. Mina Charon, Dr. Mitchell Lunn

Community Health Symposium

RSTRÁC

DEVELOPING A NEEDS ASSESSMENT TO GUIDE CARE AND RESOURCE DEVELOPMENT FOR LGBTQ+ INDIVIDUALS AT A STUDENT-RUN FREE CLINIC

(1) Background: Many student-run free clinics lack specific, relevant, and community-driven care for LGBQ+ populations. This deficiency may be due to major disparities in health data recorded from LGBTQ+ populations(1). Students, residents, and medical attendings may rely on outdated and harmful stereotypes, generalizations, or biases towards a diverse population. Based on previous research, including The PRIDE Study(3) and the Federal Interagency Working Group Papers on Sexual and Gender Minority Groups(4), the clinic initiated a community-engaged research project to assess LGBQT+ health needs. These regional, small scale needs assessments can provide information on developing targeted, relevant, and consistent care, health education, and resources for LGBTQ+ populations(5).

(2) Cardinal Free Clinics http://med.stanford.edu/cfc.html

Stanford MEDICINE

(3) Methods: Initial LGBTQ+ health assessment topics were drawn from The PRIDE Study. Next, interviews were conducted with community stakeholders, including local LGBTQ+ centers and free clinics focused on LGBTQ+ healthcare. Finally, after analyzing LGBTQ+ health assessment items and interviews, a student volunteer team developed the needs assessment.

(4) Outcomes: Stakeholder interviews were tailored to address 1) current medical resources available to 2) gaps in access to medical care for and 3) important health education topics with respect to LGBTQ+ populations. These qualitative results are currently being used to finalize the needs assessment, which will be deployed in conjunction with community partners by early 2021. The results of the needs assessment will help our clinic understand medical needs of regional LGBTQ+ patient populations, allowing the clinics to target medical care and increase education initiatives.

(5) Conclusion: In order to provide relevant and useful medical care to LGBTQ+ populations, student-run free clinics may benefit from designing and implementing shortened needs assessments in their own communities. In addition, partnering with local LGBTQ+ centers to create these needs assessments can provide avenues to increase the visibility of a student-run free clinic as a source for LGBTQ+ healthcare.

References:

1. Cahill, S., & Makadon, H. (2014). Sexual orientation and gender identity data collection in clinical settings and in electronic health records: a key to ending LGBT health disparities. LGBT health, 1(1), 34-41.

2. Dean, M. A., Victor, E., & Guidry-Grimes, L. (2016). Inhospitable healthcare spaces: why diversity training on LGBTQIA issues is not enough. Journal of bioethical inquiry, 13(4), 557-570.

Lunn, M. R., Lubensky, M., Hunt, C., Flentje, A., Capriotti, M. R., Sooksaman, C., ... & Obedin-Maliver, J. (2019). A digital health research platform for community engagement, recruitment, and retention of sexual and gender minority adults in a national longitudinal cohort study—The PRIDE Study. Journal of the American Medical Informatics Association, 26(8-9), 737-748.
Park, J. E. (2016, September). Improving Measurement of Sexual Orientation and Gender Identity in the Federal Statistical System. In Presentation at the Council of Professional Associations on Federal Statistics (COPAFS) Quarterly Meeting.
Billings, J. R., & Cowley, S. (1995). Approaches to community needs assessment: a literature review. Journal of Advanced Nursing, 22(4), 721-730.

COMMUNITY PARTNER

CARDINAL FREE CLINICS